

2025年 全日本スーパーフォーミュラ・ライツ選手権 車両規定運用要項

(**赤字**:2024年からの変更箇所)

2025年 全日本スーパーフォーミュラ・ライツ選手権 適用車両規定 及び 下記の項目に合致する車両とする。

① 以下のコンポーネンツを使用すること。

Chassis

<i>Make</i>	<i>Model</i>
Dallara	320

Engine

<i>Make</i>	<i>Model</i>
Tom's	TGE33

Gearbox

<i>Make</i>	<i>Model</i>
Hewland	F3B

Bellhousing

<i>Make</i>	<i>Model</i>
Dallara	32432021

Brake caliper

<i>Make</i>	<i>Model</i>
Brembo	XA6.S0.01/XA6.S0.21(FR-LH)
	XA6.S0.02/XA6.S0.22(FR-RH)
	XA6.S0.03/XA6.S0.23(RR-LH)
	XA6.S0.04/XA6.S0.24(RR-RH)
	XA6.S0.31/XA6.S0.41(FR-LH)
	XA6.S0.32/XA6.S0.42(FR-RH)
	XA6.S0.33/XA6.S0.43(RR-LH)
	XA6.S0.34/XA6.S0.44(RR-RH)

Brake Disc

<i>Make</i>	<i>Model</i>
Brembo	09.A261.11
	09.A261.21
	709.A261.11
	709.A261.21
	09.A261.30
	09.A261.40
	709.A261.30
	709.A261.40
AP RACING	CP3947-102C G4 B4
	CP3947-103C G4 B4
	CP3947-132C G4 B4
	CP3947-133C G4 B4
Endless	E89-7818-E012-CG4
	E89-7818-E030-CG4
	E99-7818-E110-CG4
	E99-7818-E120-CG4
	E89-7818-B120-CG4
PFC	278.18.0036.452
	278.18.0036.462

Brake Pad

<i>Make</i>	<i>Compound</i>	<i>Model</i>
Pagid	PST 1	S8049X01001/B01
	PST 2	S8049T02001/B01
	PST 3	S8049T03001/B01
	PST 4	S8049T04001/B01
	RSL 19	S8049R19001/B01
	RSL 29	S8049R29001/B01
	RS 5	S8049R05001/B01
	RS 7	S8049R07001/B01
	RS 33	S8049R33001/B01
	RS 34	S8049R34001/B01
	RS 36	S8049R36001/B01
	RS 42	S8049R42001/B01
Mintex	F6R	2899 F6R 15.75
Ferodo	PRO187	FRP3102x
	PRO222	FRP3103Z
	PRO223	FRP3103ZB

Brembo	RB170	107.A469.02
	RB170	707.A469.02
PFC		7762.01.16.44
		7762.07.16.44
		7762.11.16.44
		7762.15.16.44
Endless		RCP155T65Q
		RCP155T36F50
		RCP155T22U
SEIDOYA		SDY1055FL-3970K
		SDY1055FL-4860R
		SDY1055FL-4800R

Damper

<i>Make</i>	<i>Model</i>
Koni	2612 001
	2612 027
	2812 899
	2812 982
	2812 984
	2812 985
	2812 026
	2812 027
Multimatic	55390-5000
	55390-5001
	55996-5008
	56196-5000
	56196-5002
	56196-5006
	56196-5008
	56196-5010
	56196-5012
56196-5014	
Quantum	RW916
	RW917
	RW918
	RW919

Clutch

<i>Make</i>	<i>Model</i>
ZF SACHS	883082002058

Clutch Release and Bearing

<i>Make</i>	<i>Model</i>
ZF SACHS	88 3182 000 037
AP RACING	CP3959-38
	CP3457-16
Tilton	61-303
	60-3330

Electronic System

<i>Make</i>	<i>Component</i>	<i>Model</i>
Cosworth	ECU / Data Logger	Antares8 SFL
XAP	Steering Dash	Formula
Bosch	Wheel Speed Sensor	0232.103.037
Bosch	Wheel Speed Sensor	0281.002.728
Bosch	Pressure Sensor	0261.545.953
Bosch	Gear Position Sensor	F02U.V02.084-01
Bosch	Gear Position Sensor	F02U.V01.667-01
Shiftec	Gear Position Sensor	ZK024-1
Bosch	Linear Potentiometer 100mm	B261.209.853-02
Bosch	Linear Potentiometer 75mm	B261.209.852-02
Bosch	Linear Potentiometer 50mm	F02U.V01.319-02
Position Sensors	Linear Potentiometer 100mm	PS-C95P-100
Position Sensors	Linear Potentiometer 75mm	PS-C95P-75
Position Sensors	Linear Potentiometer 50mm	PS-C95P-50
Bosch	Accelerometer 2-axis	0265.005.838

Semi Automatic System

<i>Make</i>	<i>Component</i>	<i>Model</i>
Mega-Line	Actuator	410-141-011
	Valve Block	410-072-011
	Valve Block	410-053-011
	Compressor	460-011-011
	Compressor	470-111-011

Power Steering System

<i>Make</i>	<i>Component</i>	<i>Model</i>
KYB	Motor	R2719-05000
	ECU	R2711-31000
	Sensor	R2712-08000

Battery

<i>Make</i>	<i>Model</i>
Super B	SB12V15P-EC

CV Boot

<i>Make</i>	<i>Model</i>
Dallara	FCOM1145
Pankl	43662

Fire Extinguisher

<i>Make</i>	<i>Model</i>	<i>Homologation.No.</i>
OMP	Ecolife	EX.036.11
Lifeline	Zero	EX.027.08

- ② 以下の改造、取り付け および変更を行うことができる。
- a) キール部の保持のみを目的としたステアの取り付け。
 - b) フロア位置を保持するため、吊り下げのみを目的としたフロアステアの改造。
 - c) ボディワークを固定しているボルトのファスナー/ライブロックへの変更。
 - d) ミラー位置を調整するためステアの改造を行う場合、オリジナル仕様と同形状にすること。
 - e) 車両コンポーネントをエンジンやエキゾーストの熱から保護するための遮熱板の取り付けができる。
但しエキゾーストに直接取り付けられる遮熱部品は、金属製のものに限られる。
- ③ 車両の排気音量は、レース車両規定第2章 レース車両の排気音量規制を遵守する。